Signature

4						
ease type	aр	lus si	gn (+) inside	this	xod

-	
•	
_	T
_	- 1

PTO/SB/05 (4/98)
Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY PATENT APPLICATION **TRANSMITTAL**

Attorney Docket No. 003869.P001C Stephen C. Roderick First Inventor or Application Identifier

Title Method, Apparatus and System for Improved Content Management and

Express Main Vabel No. | EL034435616US

2	(Only fo	r new nonpro	visional applications under 37 CFR 1.53	Express W	ăfi¹⊻a	bel N	0.	EL034	43561	6US			لہ
_	See M		PLICATION ELEMENTS 600 concerning utility patent application	contents	Ī	A	DDR	ESS TO:	E	Assistant Co Box Patent / Vashington	Applicatio	ın	A 20. 10.
1	· 🛛		smittal Form n original, and a duplicate for	fee processing)	5	· [1	/licrofiche	Compute	r Program	(Appendia	x)	200
2	. 🔀	Specificat		[Pages <u>38</u>]	6			ide and/or icable, all		cid Sequen у)	ce Subm	ission	1089
- Descriptive title of the Invention - Cross References to Related Applications - Statement Regarding Fed sponsored R & D - Reference to Microfiche Appendix				a. b. c.		Paper (Copy (ide	able Copy ntical to cor ring identity	•				
		-	und of the Invention mmary of the Invention		Г			ACCOM	PANYIN	G APPLIC	CATION	PARTS	
			scription of the Drawings (if file Description	ed)	7.		As	ssignment	Papers (cover sheet	& docun	nent(s))	_
		- Claim(s)	•			_		C.F.R. § hen there				Power of Attorn	еу
3	· 🗷	Drawing(s	s) (35 U.S.C. 113) [Total Shee	ts <u>8</u>]	9.		En	iglish Trar	slation D	ocument (if	applicab	le)	ı
4	. Oat	h or Decla	ration [Total Page	s <u>3</u>]	10.			formation atement (Copies of IDS Citations	- {
	 a. Newly executed (original copy) b. Ocpy from a prior application (37 C.F.R. § 1.63(d)) 			•		Pr	eliminary	Amendm	ent			- {	
		(for continuation/divisional with Box 16 completed)			12.	×				ard (MPEP			
		i. DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR §§ 1.63(d)(2) and 1.33(b).		13.		*8	small Entit	· Ba	,	filed in p	rior application, nd desired		
					14.			ertified Co foreign pr		ority Docum laimed)	ent(s)		
	SMALL. (37 C.F.I	ENTITY FEI R. § 1.27), E	1 & 13: IN ORDER TO BE ENTITL ES, A SMALL ENTITY STATEMEN XCEPT IF ONE FILED IN A PRIOR C.F.R. § 1.28).	IT IS REQUIRED	15.		Ot	ther:					
1	6. If a		ING APPLICATION, check a					quisite info	ormation	below and i	n a prelin	ninary amendme	nt:
	⊠ Dri		ation Divisional C tion Information: Examiner_	Continuation-i	n-part Feild)	or prior		oup/Art Uni		, 2776	
c	or <u>CON</u>	TINUATION ed a part of	I or DIVISIONAL APPS only: The the disclosure of the accompanyin when a portion has been inadverter	g continuation or divi	e prior	applic	ation	and is here	h an oath	or declaration	is supplied	d under Box 4b, is	
				17. CORRES	PON	DEN	CE	ADDRES	SS				
		Customei	Number of Bar Code Label	(Insert Customer No.	or Atta	h bar	code	label here)	o		iorrespond	lence address bei	'ow
ľ	Nam	е	BLAKELY, SO	KOLOFF, TAY	LOR	& Z	AFI	MAN LL	P				
	Addr	ess	12400 Wilshire E	oulevard, Sever	ith F	oor							
r	City		Los Angeles		State)	1	California		Zip C	ode	90025	
	Cour	itry	U.S.A.	Teleph	one		[(503) 684	-6200		Fax	(503) 684-32	45
	Name (Print/Type) Donna Jo Coningsby, Reg. No. 41,684												

Burden Hour Statement: This form is estimated to take 0 X hours to complete full will very depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Pagent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

PTO/SB/17 (6/99)

Approved for use through 09/30/2000. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

FEE TRANSMITTAL for FY 1999

Patent fees are subject to annual revision.

Small Entity payments must be supported by a small entity statement, otherwise large entity fees must be paid. See Forms PTO/SB/09-12. See 37 C.F.R §§ 1.27 and 1.28.

TOTAL AMOUNT OF PAYMENT

(\$)

399.00

Complete if Known				
Application Number				
Filing Date	September 18, 2000			
First Named Inventor	Stephen C. Roderick			
Examiner Name	Feild, J.			
Group/Art Unit	2776			
Attorney Docket No.	003869 P001C			

METHOD OF PAYMENT (check one)						ION (continued)	
The Commissioner is hereby authorized to charge indicated fees:	3.	ADE	DITION	AL F	=E		
The Commissioner is hereby authorized to credit	Large	Entity	Small	l Entit	у		
any over payments to:	Fee Code	Fee (\$)	Fee Code	Fee	Fee	Description	Fee Paid
Deposit Account 02-2666	105	(२) 130	205	(\$) 65	Surchargo late	e filing fee or oath	
Number	127	50	203	25	Surcharge - late	e ming fee or oath e provisional filing fee	or
Account Blakely, Sokoloff, Taylor & Zafman LLP	400	400	400		cover sheet.	_	
Name Observational Franchistance Brown Additional Franchistanc	139 147 2	130 2.520	139 147	130 2.520	Non-English spe For filing a regu	ecification lest for reexamination	,
Charge Any Additional Fees Required Under 37 CFR §§ 1.16,1.17, 1 18 and 1 20	112	920*	112			lication of SIR prior to	
2. Payment Enclosed:	1				Examiner action	1	
Check D Money D Other	113 1	,840*	113	1,840	Requesting pub Examiner action	lication of SIR after	
Check Order Other	115	110	215	55		sponse within first m	onth
FEE CALCULATION	116	380	216			sponse within second	
BASIC FILING FEE	117	870	217			sponse within third m	
Large Entity Small Entity	118 1	,210	218	680	Extension for re	sponse within fourth	month
Tee Fee Fee Fee Fee Description Fee Paid Code (\$)	128 1	-	228	925	Extension for re	sponse within fifth me	onth
101 690 201 345 Utility filing fee \$345.00	119	300	219		Notice of Appea		
1.06 310 206 155 Design filing fee	120	300	220			support of an appeal	
107 480 207 240 Plant filing fee	121	260	221		Request for oral	-	
±108 690 208 345 Reissue filing fee	138 1	•				ute a public use proce	eeding
14 150 214 75 Provisional filing fee	140 141 1	110	240		Petition to revive		
\$ SUBTOTAL (1) (\$) 345.00	142 1		241 242		Petition to revive Utility issue fee		
EXTRA CLAIM FEES Extra Fee from	143	430	243		Design issue fee		
Claims below Fee Paid	144	580	244		Plant issue fee	-	
Total Claims 26 - 20 = 6 X 9.00 = \$54.00	122	130	122	130	Petitions to the	Commissioner	
Claims 3 - 3 = 0 X 39.00 =	123	50	123	50	Petitions related	I to provisional applic	ations
Multiple Dependent	126	240	126	240	Submission of In	nformation Disclosure	Stmt
**or number previously paid, if greater, For Reissues, see below	581	40	581			patent assignment p	
Large Entity Small Entity Fee Fee Fee Fee Fee Description	146	700	046			number of properties)	
Code (\$) Code (\$)	146	790	246	აყე	(37 CFR 1.129)	sion after final rejectio	n
103 18 203 9 Claims in excess of 20	149	790	249	395	For each additio	nal invention to be	
102 78 202 39 Independent claims in excess of 3	Othorf	na (an-	oif.		examined (37 C	FR 1.129(b))	
104 130 204 130 Multiple Dependent claim, if not paid 109 78 209 39 **Reissue independent claims	Other for Other for						
over original patent		,560	,/				L
110 18 210 9 **Reissue claims in excess of 20	ŀ						
and over original patent	*Reduce	db.D-	ia Citar		: 		
SUBTOTAL (2) (\$) 54.00	Reduce	u by bas	scring	reera	ia St	JBTOTAL (3)	5)
SUBMITTED BY						Complete (if	applicable)
Typed or Printed Name Donna Jo Coningsby					, <u></u> .	Reg. Number	41,684
Signature ()	<u> </u>		<u> </u>		00/10/00	Deposit Account	
Signature Common Summers	MI		Date	١ (09/18/00	User ID	02-2666

Applicant or Patentee: Stephen C, Roderick Serial or Patent No.: Not Yet Assigned Filed or Issued: January 11, 1999	Attorney's Docket No.	03869.P001
For: METHOD, APPARATUS AND SYSTEM FOR IMPROVE DELIVERY	DCONTENT	ANAGEMENT AND
VERIFIED STATEMENT (DECLARATION) CLAIMING S 37 CFR 1.9 (f) and 1.27(c) SMALL BUSINES I hereby declare that I am: the owner of the small business concern identified b an official of the small business concern empowered concern identified below:	SS CONCERN Helow:	
NAME OF CONCERN: GOHOME NETWORKS, INC. ADDRESS OF CONCERN: 875-A NW GRANT AVENUE, COP	SIZETIE AD A	7220
ADDITION OF CONCERN. 013-A NAV GRANT AVENUE, CON	AVALLIS. ON A	/330
I hereby declare that the above identified small business concern qui as defined in 13 CFR 121.3-15, and reproduced in 37 CFR 1.9(d), to under Section 41(a) and (b) of Title 35. United States Code, in that the concern, including those of its affiliates, does not exceed 500 person (1) the number of employees of the business concern is the average the concern of the persons employed on a full-time, part-time or temporary periods of the fiscal year, and (2) concerns are affiliates of each indirectly, one concern controls or has the power to control the other, or has the power to control both.	r purposes of p ne number of er s. For purpose over the previo porary basis du other when eith	aying reduced fees mployees of the softhis statement, bus fiscal year of ring each of the left, directly or
I heraby cartify that to the best of my knowledge and belief rights und conveyed to and remain with the small business concern identified at entitled METHOD, APPARATUS AND SYSTEM FOR IMPROVED DELIVERY by inventor(s) Stephen C, Roderick	ler contract or la cove with regan CONTENT M	aw have been d to the invention ANAGEMENT AND
described in [XX] the specification being filed herewith application serial no		
and I have reviewed the document that evidences the conveyant document [XX Is being filed herewith. [
Manufacture of the state of the		

If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(d) or by any concern which would not qualify as a small business concern under 347 CFR 1.9(d) or a non-profit organization under 37 CFR 1.9(e). NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

16	1
1611	=

11,444	Ĩ
	22
Z;	===
	H
-	ij.
No.	Ü
H	
11,111	5"
.,(),	7
11.12.1	£
141141	
16,110	Y
ñ	Ŧ

NAME:	
ADDRESS: [] Individual NAME:	Small Business Concern [] Non-Profit Organization
ADDRESS:	[] Small Business Concern [] Non-Profit Organization
in 1088 of entitlement	ty to file, in this application or patent, notification of any change in status resulting to small entity status prior to paying, or at the time of paying, the earliest of the tenance fee due after the date on which status as a small entity is no longer 1.28(b))
made on information with the knowledge th imprisonment, or both false statements may	all statements made herein of my own knowledge are true and that all statements and belief are believed to be true; and further that these statements were made at willful false statements and the like so made are punishable by fine or , under Section 1001 of Title 18 of the United States Code, and that such willful jacquardize the validity of the application, any patent issuing thereon, or any erified statement is directed.
TITLE OF PERSON (SIGNING: STEPHEN C. RODERICK OTHER THAN OWNER: President ON SIGNING: 3142 NW AUTUMN, CORVALUS, OR 97330
SIGNATURE:	DATE: 1/1/99

Our Ref.: 03869.P001C

APPLICATION FOR UNITED STATES LETTERS PATENT

FOR

METHOD, APPARATUS AND SYSTEM FOR IMPROVED CONTENT MANAGEMENT AND DELIVERY

Inventor(s): Stephen C. Roderick

Prepared by:

BLAKELY SOKOLOFF TAYLOR & ZAFMAN, LLP 12400 Wilshire Boulevard, 7th Floor Los Angeles, California 90025 (503) 684-6200

"Express Mail" .	label number	EL034435616US
D ((D)	C	10.0000
Date of Deposit	September	18, 2000

20

5

METHOD, APPARATUS AND SYSTEM FOR IMPROVED CONTENT MANAGEMENT AND DELIVERY

COPYRIGHT NOTICE

A portion of the disclosure of this patent document contains material which is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the Patent and Trademark Office patent file or records, but otherwise expressly reserves all rights whatsoever in said copyright works.

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to the field of data processing over data networks and, in particular, to a method, apparatus and system for improved content management and delivery.

2. **Background Information**

As computer technology has evolved, so too has the use of data networks to communicatively couple computer systems together enabling them to communicate with one another. Those skilled in the art will appreciate that data networks may be configured in a number of alternative network topologies, employing any number of alternative communication protocols. From small peer-to-peer networks, to local area networks (LAN),

20

5

wide area networks (WAN) and enterprise networks (sometimes referred to as an intranet), to global data networks. One of the more popular of such global data networks is colloquially referred to as the Internet, an Internetworking of governmental, educational and commercial networks and servers throughout the world.

Once the domain of scholars and computer researchers, the introduction and acceptance of the HyperText Markup Language (HTML) and the HyperText Transfer Protocol (HTTP) associated with the World Wide Web (WWW) initiative effectively opened the Internet to anyone with an appropriately configured computer system. With the increased accessibility brought about with the WWW, data networks such as the Internet have evolved into a limitless collection of information for those with the computer savvy to access them.

One of the criticisms of the Internet, in particular, is that the wealth of information that is theoretically available on the Internet is not easily identified and retrieved by a typical user. Until recently, this difficulty in accessing the eclectic collection of information available on the Internet has not really been a problem, as many netizens¹ rely on search engines and the like to locate information of interest. Simplistically speaking, search engines search the meta-tags and text of a number of web pages in an effort to identify the information of interest. Until recently, the use of such search engines has proven acceptable as a means of identifying information on the web.

Recently, however, the Internet has evolved to support electronic commerce. sometimes referred to as e-commerce. Electronic commerce sites on, for example, the

20

5

Internet are presented in the form of publicly accessible web pages which place the stock, availability and pricing information of their products online. A typical e-commerce site may be thought of as being comprised of at least two parts, a first part which is comprised of the HTML document to create the graphical user interface (GUI) on the Internet, and a second part comprised of a database housing the product information, i.e., stock/availability, and pricing information. The GUI front end provides the user with a means of searching for product information, stock or availability, and pricing by entering search terms or a query list, which is then used to access and retrieve the appropriate information from the database for display to the user. Accordingly, it typically requires at least two searches, often more, to identify the particular information of interest on the Internet. This makes it difficult, at best, for many netizens to find product information as it is often buried in databases hidden from search engines. One solution to make product information more readily accessible is to forego the product databases and have programmers generate HTML code for dedicated web pages for each product. One drawback of such a solution, however, is that substantial investments have been made to put together the current product databases. To simply forego using current product databases would be a costly solution, not to mention the substantial cost of generating dedicated web pages for each product. However, companies staking their commercial success on the e-commerce business paradigm will attest that the current difficulty conducting e-commerce is resulting in lost opportunity and unrealized profit for many e-commerce sites.

¹ Those skilled in the art will appreciate that a new vocabulary has evolved to describe the evolving sociology

03869.P001C

 5

Thus, an improved method, apparatus and system for identifying, managing and delivering information content, e.g., product information, is required, unencumbered by the deficiencies and inherent limitations commonly associated with data networks and the network devices of the prior art. It will be apparent to those skilled in the art, from the description to follow, that the present invention achieves these and other desired results.

10

SUMMARY OF THE INVENTION

In accordance with the teachings of the present invention, a method, apparatus and system for managing and delivering informational content over a data network is presented. In particular, in accordance with one embodiment of the present invention, an apparatus comprising a storage medium and a communicatively coupled processor are presented. The storage medium has stored therein a plurality of executable instructions which, when executed, implement an information server which, upon receiving a request including a resource identifier for an information page/directory that may or may not exist, constructs and issues queries to retrieve the requested information and dynamically generates instructions to create the requested information page for provision to a requesting client if the information page does not exist.

10

15

20

BRIEF DESCRIPTION OF DRAWINGS

The present invention will be described by way of exemplary embodiments, but not limitations, illustrated in the accompanying drawings in which like references denote similar elements, and in which:

Figure 1 illustrates a block diagram of an example data network incorporating the teachings of the present invention;

Figure 2 illustrates a block diagram of an example server incorporating the teachings of the present invention, in accordance with one embodiment of the present invention;

Figure 3 illustrates a flow chart of an example method for managing the availability of information content incorporating the teachings of the present invention;

Figure 4 illustrates a block diagram of an example server incorporating the teachings of the present invention, in accordance with an alternate embodiment of the present invention;

Figure 5 illustrates a flow chart of an example method for tracking the source of referrals to information sources in accordance with one aspect of the present invention;

Figure 6 graphically illustrates an example product database suitable for use in accordance with the teachings of the present invention;

Figure 7 graphically illustrates an example marketing report generated in accordance with one aspect of the present invention; and

Figure 8 illustrates a block diagram of a storage medium having stored therein executable instructions for implementing the teachings of the present invention, in accordance with an alternate embodiment of the present invention.

15

20

5

DETAILED DESCRIPTION OF THE INVENTION

In the following description, various aspects of the present invention will be described. However, it will be apparent to those skilled in the art that the present invention may be practiced with only some or all aspects of the present invention. For purposes of explanation, specific numbers and configurations are set forth in order to provide a thorough understanding of the present invention. However, it will also be apparent to those skilled in the art that the present invention may be practiced without these specific details. In other instances, well known features are omitted or simplified for clarity.

Reference in the specification to "one embodiment" or "an embodiment" means that a particular feature, structure or characteristic described in connection with the embodiment is included in at least one embodiment of the present invention. Thus, the appearances of the phrase "in one embodiment" appearing in various places throughout the specification are not necessarily all referring to the same embodiment.

With reference to **Figure 1**, an operating environment within which the teachings of the present invention may be practiced will be developed more fully in accordance with the block diagram of example data network **100**. As provided in **Figure 1**, data network **100** is comprised of a plurality of clients, e.g., **102** and **112** that are communicatively coupled to a plurality of information sources, e.g., servers **108**, **116** and **117**, and databases **110** and **118**, via one or more data networks, e.g., data network **106**, as shown. In one embodiment, data network **106** represents a global data network such as the Internet, while in alternate embodiments, data network **106** represents an enterprise network or an Intranet. In

15

20

5

accordance with the teachings of the present invention to be described more fully below, an information server enabled with the teachings of the present invention, e.g., server 108, invokes an instance of an information server which, upon receiving a request including a resource identifier for an information page/directory that does not exist, constructs and issues one or more queries to accessible information resources to retrieve the requested information and dynamically generates instructions to create the requested information page for provision to the requesting client. In accordance with the teachings of the present invention, if the information page/directory identifier by the received request does exist, the requested information page is provisioned to the requesting client.

In one exemplary embodiment, to be developed more fully below, the resource identifier is comprised of an industry standard product identifier (ISPID), wherein the information server dynamically generates the instructions to create the requested information page to provision to the requesting client, in response to receiving a request from the client comprising the ISPID as the resource identifier for an information page that does not exist. Thus, those skilled in the art will appreciate that a server incorporating the teachings of the present invention for dynamically generating instructions to create an information page in response to receiving a request comprised of an industry standard product identifier, effectively place their entire inventory of products on the data network at uniquely addressable locations (e.g., web sites, web pages, etc.), without having to resort to multiple intermediate information pages generating common gateway interface (CGI) scripts, or the un-memorable, lengthy URLs commonly associated with the prior art. Accordingly, the

10

15

20

present invention enables a vendor to utilize the information contained in their current product databases, protecting the substantial investment made to generate such databases, while offering improved visibility of their product line to their current or potential customer base.

As shown in Figure 1, clients 102 and 112 can be any of a wide range of computing devices known in the art which enable a user to access information using a messaging protocol via data network 106. In one embodiment, for example, clients 102 and 112 execute a browser application which supports communication with a remote server, e.g., server 108, via data network 106 and gateway server 104, while in other embodiments, the client is directly coupled to data network 106. In one embodiment, the messaging protocol utilized is the HyperText Transfer Protocol (HTTP) and the information page is a web page. In another embodiment, the messaging protocol is the File Transfer Protocol (FTP), and the information page is a document file. In either instance, the request for the information page includes a document identifier comprised of the industry standard product identifier, without requiring the user to enter any additional language that is otherwise supported by the messaging protocol, e.g., query scripts and the like. In one embodiment, clients 102 and/or 112 are computer systems, while in an alternate embodiment, they are an electronic appliance, e.g., a webTVTM Internet Terminal available from Sony Electronics, Inc. of Park Ridge, NJ, that enables one to utilize the resources of data network 106 without the need of a full-featured computer system.

[]

15

20

10

5

Each server 108, 116 and 117 is typically a computer system which can be accessed by clients via data network 106 either directly, or through a firewall 114 or other gateway server. As used herein, each server incorporating the teachings of the present invention, e.g., server 108, includes one or more information pages (e.g., HyperText Markup Language (HTML) compatible documents, or web-pages), which can be accessed via any of a number of appropriate messaging protocols for display by an appropriate user agent (e.g., browser) operating on a requesting client, e.g., client 102. In accordance with the teachings of the present invention, to be described more fully below, a server incorporating the teachings of the present invention includes an agent which, upon receiving a request including an industry standard product identifier for an information page or directory that does not exist, constructs and issues commands or queries to search for and retrieve from accessible resources (e.g., databases) information corresponding to the product associated with the industry standard product identifier included in the received request, and generates executable instructions to create the requested information page for provision at the requesting client. In alternate embodiments, the ISPID is a multiple listing service (MLS) identifier for real estate, a vehicle identification number (VIN) identifier for automobiles, a stock-keeping unit (SKU) identifier for various manufactured products, or a universal identifier (UID) for other products. Thus, a merchant utilizing the teachings of the present invention may well use one of the above identified product codes, or variations thereof, to place information regarding their products on the internet, at uniquely addressable locations, without the need of generating individual information pages/directories for that information prior to receiving the

10

15

20

request for information. That is, the present invention enables a merchant to leverage their pre-existing information resources to dynamically create information pages for each of their products at uniquely addressable locations on a data network using their product code as the address.

As alluded to above, data network 106 is a combination of multiple conventional hardware components, including computer systems, routers, repeaters, gateways, and switches interconnected, potentially throughout the world, with wireline and wireless (e.g., satellite, terrestrial, and the like) communication connections. These hardware components are organized to provide multiple logical levels of networks, which route data from one computer system to another. According to one implementation, data is transferred between computer systems using the well-known Transmission Control Protocol/Internet Protocol (TCP/IP) protocol. Data is generally transferred between network elements in units commonly referred to as "packets" or "datagrams".

The communication links illustrated in **Figure 1** may be any of a wide range of conventional wireline and wireless communication media, and may be different for different clients **102**, hosts **108** and network devices **104**. For example, a communication link may be a cable, a fiber optic cable, or may represent a nonphysical medium transmitting electromagnetic signals in the electromagnetic spectrum. Additionally, a wireless communication link may also include any number of conventional routing or repeating devices, such as satellites or electromagnetic signal repeaters or basestations.

15

20

5

Having introduced the operating environment within which the teachings of the present invention may be practiced with reference to **Figure 1**, above, an example server incorporating the teachings of the present invention will now be developed with reference to **Figure 2**.

With reference to Figure 2, a block diagram of an example server incorporating the teachings of the present invention is depicted, in accordance with but one embodiment of the present invention. In accordance with the illustrated example embodiment of Figure 2, server 200 is shown comprising one or more processor(s) 202 and a storage medium/device 206 including executable instructions to implement information server 203 and mining agent 204 incorporating the teachings of the present invention. In certain embodiments, storage medium 206 also includes instructions to implement a statistical database 205 which is used to compile and maintain a statistical history of marketing effectiveness, as shown. In addition to the foregoing, server 200 also includes network interface 208 and input/output (I/O) ports 210 each communicatively coupled to processor(s) 202 as shown. Thus, in accordance with one embodiment of the present invention, server 200 may well be incorporated into data network 100 as one or more of servers 108, 116 and/or 117 facilitating the perception that an end user has direct access to information pages containing product information utilizing industry standard product identifiers in the information request when, in fact, such information pages may not exist prior to the request.

As used herein, network interface **208** enables server **200** to communicate with remote devices over communicatively coupled data networks. In one embodiment, network

Ľ

15

20

10

5

interface 208 facilitates receipt of requests in any of a number of messaging protocol formats for information from remote clients. In one embodiment, the requesting client formulates a request in accordance with the HTTP messaging protocol by generating a uniform resource locator (URL) address including a resource identifier comprised of an industry standard product identifier (ISPID). Thus, network interface 208 is intended to represent any of a number of communication interfaces supporting any of a number of alternative communication/data networking protocols commonly known to those in the data networking arts. In particular, network interface 208 is intended to represent any of a number of wireline and wireless communication media through which these interfaces may communicate with remote clients, client subnetworks, and data network 106. Similarly, input/output ports 210 enable server 200 to communicate with directly coupled devices such as, for example, disk drives, modems, and the like. Network interfaces and I/O ports are well known in the art and need not be described further.

Storage medium/device 206 is intended to represent any of a number of alternative storage media commonly known in the art. In one embodiment, for example, storage medium/device 206 is a memory device, or an array of such devices, such as a random access memory (RAM), flash memory device, or the like. In one embodiment, storage medium/device 206 is a magnetic storage media such as a hard disk, redundant array of inexpensive disks (RAID) system, re-writeable compact disk, tape media, or the like. In one embodiment, to be described more fully below, storage medium 206 includes executable instructions which, when executed by processor(s) 202 implement information server 203,

10

15

20

mining agent 204 and, optionally, statistical database 205. As will be described in greater detail below, information server 203 generates instructions to create an information page for provision to a requesting client in response to a request for an information page which may or may not exist. More specifically, upon receiving a request including a resource identifier for an information page/directory that does not exist, processor(s) 202 implementing information server 203 invoke an instance of mining agent 204 which determines if the received information request includes an resource identifier comprised of an industry standard product identifier (ISPID) and, if so, constructs and issues search commands in an effort to retrieve the requested information from accessible resources. As will be described more fully below, mining agent 204 may well access local and/or remote information resources via I/O ports 210 and network interface 208, respectively.

In accordance with one embodiment of the present invention, processor(s) 202 implementing information server 203 and mining agent 204 work cooperatively to implement the many aspects of the present invention. As used herein, processor(s) 202 are intended to represent any of a number of microprocessors, microcontrollers, programmable logic devices (PLDs), application specific integrated circuits (ASICs) and the like known in the art. In accordance with the teachings of the present invention, processor(s) 202 implementing information server 203 respond to requests for information received from remote client(s) via data network 106 and network interface 208. In particular, in accordance with one aspect of the present invention to be described more fully below, upon receiving a request for information which includes an industry standard product identifier, processor(s) 202

10

15

20

implementing information server 203 determine that the requested information page does not exist, and invokes an instance of mining agent 204 which recognizes the industry standard product identifier (ISPID) in the received request. Accordingly, instead of immediately replying to the requesting client that the requested information page is not available, mining agent 204 constructs and issues search commands to accessible resources to access and retrieve information associated with the product identified by the industry standard product identifier contained within the resource identifier of the received request. Mining agent 204 provides information server 203 with any information identified associated with the industry standard product identifier. In response to the request for the information page that does not exist, processor(s) 202 implementing information server 203 dynamically generate the instructions necessary to create the requested information page for provision to the requesting client including at least a subset of the information provided on the product requested by mining agent 204. In one embodiment, the instructions generated and issued by processor(s) 202 and information server 203 is HTML code. In an alternate embodiment, the instructions generated and issued by processor(s) 202 and information server 203 is JAVA code, or ActiveX code.

In accordance with the teachings of the present invention, mining agent 204, searches accessible databases for information associated with the industry standard product identifier received in a request for information from a remote client. In one embodiment, for example, mining agent 204 generates instructions with which to query the accessible databases and includes the industry standard product identifier received from the remote client via network

15

20

5

interface 208 and processor(s) 202. In one embodiment, the search commands are SQL commands. In one embodiment, the information resource is a local database, wherein mining agent 204 issues the search command via processor(s) 202 and I/O port 210. In an alternate embodiment, mining agent 204 employs common gateway interface commands in addition to SQL search commands to access remote databases, e.g., database 118, through a gateway server, e.g., server 117. In one embodiment, mining agent 204 employs a hierarchical search of all accessible resources by first accessing local databases before accessing remote databases.

As alluded to above, in one embodiment, the search commands issued by mining agent 204 are SQL queries to a database. More specifically, mining agent 204 generates SQL commands including in one or more terms all or part of the industry standard product identifier parsed by and received from processor(s) 202. In one embodiment, for example, mining agent 204 constructs and issues the following SQL command to retrieve information on property style, price, the number of bedrooms and baths for a particular property identified by the ISPID in the received request:

SELECT style, price, beds, baths FROM properties WHERE mlsid=BC57402. In an alternate embodiment, mining agent **204** constructs and issues the following SQL command to communicatively coupled information resources to retrieve information on vehicle model, style, color and price for the automobile identified by the ISPID in the received request:

SELECT model, style, color, price FROM vehicle stock WHERE vin=1J342M54789.

ĘJ

15

20

5

10

In one embodiment, the search conducted by mining agent 204 is typically completed during the window of latency commonly associated with the download of a web page from a remote server and, thus, with little to no perceptible delay to the end user. Thus, in accordance with the teachings of the present invention, a car dealership employing a server incorporating the teachings of the present invention effectively places their entire inventory on an accessible data network, wherein a customer simply enters a network address with the vehicle identification number (VIN) of the car of interest, and the server dynamically generates instructions to create the requested information page for provision to the requesting client. Accordingly, those skilled in the art will appreciate that the innovative server incorporating the teachings of the present invention may well be practiced in a number of alternate forms and embodiments without deviating from the spirit and scope of the present invention to enable vendors to make their products all the more accessible to clients, thereby increasing the number of leads and final sales.

Although depicted as executable code within storage medium 206, those skilled in the art will appreciate that information server 203 and mining agent 204 may well take many alternate forms. In one alternate embodiment, for example, mining agent 204 is a separate functional block, embodied within an application specific integrated circuit (ASIC), a microcontroller, a special purpose processor, a software application and the like. Similarly, information server 203 may well be embodied as a special purpose processor, controller ASIC or PLD. Further, in alternate embodiments, the functionality of mining agent and information server 203 may well be embodied within a single functional element without

10

15

20

departing from the spirit and scope of the present invention. Accordingly, the foregoing example embodiments provided herein are to be regarded as illustrative and not exhaustive.

Given the foregoing architectural and functional descriptions of the first aspect of the present invention, those skilled in the art will recognize and appreciate the application of the present invention to network servers supporting e-commerce. Take, for example, a web site, i.e., a real estate information server. As alluded to above, prior art web sites supporting real estate databases typically required either a lengthy, uncomprehensible URL incorporating query strings, or multiple queries to identify and obtain information on a particular property, e.g., a first query to get to a realtor web site and a second query of their property database using, e.g., a multiple listing service (MLS) identifier for the property as a query term. A server incorporating the teachings of the present invention, however, will accept a data network request including the ISPID (e.g., the MLS identifier) in any of a number of alternate messaging protocols associated with the property for an information page, and selectively invoke mining agent 204 if the requested information page does not exist to search accessible information resources for information associated with the ISPID and reply by dynamically generating the instructions to create the requested information page for provision to the requesting client. That is, the teachings of the present invention facilitate the perception by the end user at the requesting client that each product identified by an industry standard product identifier has its own information site or information page when, in fact, such site or page does not necessarily exist prior to the server receiving the request.

15

20

5

Having introduced the architectural elements of the present invention with reference to **Figure 2**, the operation of the first aspect of the present invention will now be described with reference to **Figure 3**. However, for ease of explanation, and not limitation, the operation of a web server incorporating the teachings of the present invention will be developed in **Figure 3** with continued reference to **Figures 1** and **2**.

Accordingly, with reference to Figure 3, a method for managing the identification and dissemination of information content from an information server incorporated with the teachings of the present invention will be described within the context of an example information exchange. In particular, for purposes of explanation and not limitation, the teachings of the present invention will be described within the context of an example implementation wherein client 102 requests information from server 108 incorporating the teachings of the present invention in accordance with any of a number of messaging protocols. In accordance with one embodiment, for example, a user at a client computer issues a request for product information from server 108 incorporating the teachings of the present invention using the HTTP messaging protocol. In one embodiment, the request is in the form of a uniform resource locator (URL) comprising only a domain name and resource identifier comprised of an industry standard product identifier (ISPID). The request is passed to data network 106 via gateway server 104 to server 108, which receives the request in block 302. In particular network interface 208 of server 108 receives the request for information from communicatively coupled data network 106, and passes the received request to processor(s) 202 which invoke an instance of information server 203.

10

15

20

At block 303, information server 203 determines whether the requested information page/directory identifier by the received request exists. If the requested information page/directory does exist, information server 203 provisions the instructions to create the requested information page/directory to the requesting client via processor(s) 202, network interface 208 and data network 106, block 306.

If, however, information server 203 determines in block 303 that the requested information page/directory does not exist, processor(s) 202 implementing information server 203 determine whether the received request includes a resource identifier comprised of an industry standard product identifier (ISPID), block 304. In one embodiment, for example, processor(s) 202 implementing information server 203 examine the request for information received in accordance with the HTTP protocol and determine whether the request includes an industry standard product identifier. One example of a request for information containing an industry standard product identifier is presented below in accordance with the HTTP messaging protocol, wherein an MLS identifier (real estate) is used to denote an web page:

http://www.homelist.com/BC57402

In accordance with the above HTTP example, <u>www.homelist.com</u> represents the domain name which uniquely identifies the target server (e.g., server 108), while BC57402 is a resource identifier comprised of an ISPID denoting the requested information page, which in this example does not exist prior to receiving the request. In accordance with the teachings of the present invention, however, processor(s) 202 implementing information server 203, upon determining that the requested information page does not exist, determines that the

ij

15

20

10

5

requested information page denotes an industry standard product identifier (MLS code) which uniquely identifies a particular property of interest. In an alternate embodiment, the industry standard product identifier may well be used to denote a domain name (e.g., a particular server). One example in accordance with the HTTP messaging protocol is presented below, wherein an MLS identifier is used to denote a web site:

http://BC57402.homelist.com

In accordance with the above example, the ISPID is used to denote the domain, rather than a particular information page/directory.

If, in block 304, information server 203 determines that the received request does not include a resource identifier comprised of an industry standard product identifier, information server 203 generates and issues an appropriate response to the requesting client, block 312.

In one embodiment, information server 203 generates instructions to create a default information page for provision to the requesting client. In an alternate embodiment, information server 203 issues an error response for provision to the requesting client.

If, however, processor(s) 202 implementing information server 203 recognize that the received request includes a resource identifier comprised of an industry standard product identifier (ISPID), information server 203 passes the received ISPID to mining agent 204, which constructs and issues one or more query commands to accessible information resources, block 308. In one embodiment, mining agent 204 includes at least a subset of the information contained within the received resource identifier, e.g., the ISPID, in the search command. In an alternate embodiment, mining agent 204 correlates the ISPID received in

10

15

20

the request to some other product identifier, which is used in the search command. In one embodiment, mining agent 204 issues the command to a local database, e.g., database 110 via I/O ports 210. In alternate embodiments, mining agent 204 issues the search command to local and remote databases simultaneously via I/O ports 210 and network interface 208, respectively. That is, if the requested information is not available from local sources, e.g., database 110, mining agent 204 issues search commands to remote databases, e.g., database 118 via processor(s) 202, network interface 208, data network 106 and server 117. One example embodiment of an information resource database is provided with reference to Figure 6.

Turning briefly to **Figure 6**, an example embodiment of a product database suitable for use in accordance with the teachings of the present invention is presented. In one embodiment, database **600** is suitable for use as local database **110** or remote database **118** in data network **100**. In accordance with the illustrated example embodiment, database **600** is shown comprising a number of data fields each containing information regarding a particular attribute of the product listed. In the illustrated example embodiment, product database **600** contains information regarding real estate. As shown, each of the properties listed are referenced by their unique industry standard product identifier, or MLS identifier, in field **602**. In fields **604** through **618**, various attributes of the product are listed for each of the properties identified in field **602**. In one embodiment, the listing agent **604**, architectural style **606**, price **608**, number of bedrooms and baths **610** and **612**, indication of air condition or garage **614** and **616** and the annual taxes are presented in product database **600**. Those

15

20

5

skilled in the art will appreciate that any of the product criteria listed in database 600 is searchable. Thus, while mining agent 204 generates search commands including the ISPID (i.e., the MLS identifier of database 600), those skilled in the art will appreciate that other search terms may well be used without deviating from the spirit and scope of the present invention.

In block 310, processor(s) 202 implementing an instance of mining agent 204 determines whether the search of accessible databases was successful, i.e., whether the requested information identified by the industry standard product identifier was available from local and/or remote information sources accessible from server 108. In one embodiment, if the information is not accessible, mining agent 204 so informs processor(s) 202 and information server 203, which issue an appropriate response to the requesting client 102, block 312. As provided above, in one embodiment information server 203 issues a response informing the user that the information is not available, block 312. In an alternate embodiment, processor(s) 202 issue an invalid address response to the requesting client in accordance with the messaging protocol utilized. In alternate embodiments, processor(s) 202 and information server 203 may well generate and issue to the requesting client instructions to provision a default information page when the requested information is not available.

If the search of accessible resources conducted by mining agent 204 in block 310 is successful, mining agent 204 passes the retrieved information to processor(s) 202 implementing information server 203, which generates instructions to create the requested information page for provision to the requesting client 102, block 314. That is not to say,

10

15

20

however, that processor(s) 202 implementing information server 203 wait until the search is complete to begin to provision the information page at the remote client 102. In one embodiment, for example, processor(s) 202 begin issuing commands to requesting client 102 immediately, enabling a browser operating on client 102 to begin to render an information page within which the information on the product will be displayed once mining agent 204 receives a response from queried databases.

Those skilled in the art will appreciate, from the foregoing, that a server incorporated with the teachings of the present invention dynamically generates a custom information page in response to receiving a request including a resource identifier comprised of an ISPID for an information page/directory that may or may not exist, giving the end user the perception that each product identified by an ISPID has a dedicated information page when, in fact, it may not. The innovation herein described facilitates this perception of the end user, while enabling the commerce enterprise to utilize their preexisting product databases. Thus, the present invention represents an improvement in information management and content delivery by making product information more readily available without requiring wholesale changes in how such information is stored and maintained at the server.

Having described this first aspect of the present invention with reference to **Figures 1-3**, another aspect of the present invention will be described with reference to **Figure 5**. That is, **Figure 5** illustrates an example method for compiling and maintaining a statistical history of the marketing efforts resulting in requests of the information server **203**. In one embodiment, for example, a commercial enterprise utilizes different marketing codes in their

10

15

marketing literature when referencing a resource identifier for an information page/directory associated with a particular product. When an end user accesses the information using the denoted network address including the marketing code, processor(s) 202 implementing information server 203 invoke an instance of statistical database 205 incorporating the teachings of the present invention to correlate the marketing code with the source marketing material and tracks the effectiveness of particular marketing materials.

Accordingly, with reference to Figure 5, the method begins as before when server 108 incorporating the teachings of the present invention receives a request for information from remote client 102, block 502. As described above, the request is received from data network 106 via network interface 208 and processor(s) 202. In block 504, processor(s) 202 implementing information server 203 determine whether the received request includes a marketing code. In one embodiment, information server 203 recognizes any of a number of alternative separate marketing codes, as provided in Table 1, below. In one embodiment, information server 203 may well assume that any additional identifiers are marketing codes. In alternate embodiments, information server 203 looks up the marketing code to correlate it with the marketing material in order to further refine and customize the information provisioned to the requesting client. In one embodiment, for example, information server 203 issues instructions to provision within the requested information page/directory a "thank you" for using the source marketing materials, e.g., a buyers guide.

Marketing Code	Corresponding Marketing Source				
P	Print Media				
AG#	A Particular Sales Agent				
R	Radio Advertising				

10

15

20

T	Television Advertising				
I	Internet Advertising				
BG	Buyers Guide (particular publication)				

Table 1: Marketing Codes and Associated Sources

In accordance with the illustrated example embodiment, information server 203 recognizes five (5) different marketing codes, one each associated with print advertising, sales person advertising/referrals, radio advertising, television advertising and Internet advertising. Thus, an example request for information in accordance with the HTTP protocol might look like the following URL: http://www.homelist.com/BC54705BG, which represents that the user requesting information on the product identified by ISPID BC57403 learned of the information page through an advertisement in a particular publication, in this case a buyers guide. In the foregoing example embodiment, simple codes are used to illustrate the teachings of the present invention. Nonetheless, those skilled in the art will appreciate that marketing codes of greater or lesser complexity may well be used depending on the amount and detail of information the hosting enterprise requires. Accordingly, the use of marketing codes of greater or lesser complexity in accordance with the teachings of the present invention is anticipated by the teachings herein.

If, in block **504**, it is determined that the received request for information does not contain any marketing codes, the process continues with block **303** of the method illustrated in **Figure 3**. Alternatively, if in block **504** processor(s) **202** implementing information server **203** identify marketing codes in the received request, and invoke an instance of statistical database

15

20

5

205 which updates any of a number of statistics maintained regarding such marketing codes in block 506. In one embodiment, for example, processor(s) 202 implementing statistical database 205 update the database with information regarding the type of marketing code, when it was received, where it was received from, and the like. In one embodiment, once the marketing database has been updated, the process continues with block 303 of the method described above in **Figure 3**.

In accordance with one aspect of the present invention, a marketing evaluation report is automatically generated periodically by a server incorporating the teachings of the present invention. In one embodiment, the report generation function is a function of information server 203 selectively invoked by processor(s) 202. The frequency of such reporting is controlled by the hosting enterprise operating the server incorporating the teachings of the present invention, e.g., server 200. In one embodiment, server 200 automatically generates a marketing evaluation report on a periodic basis, e.g., a daily, weekly, monthly, quarterly or yearly basis. In an alternate embodiment, such evaluation reports may be automatically generated on demand. One example embodiment of an automatically generated marketing report is provided with reference to Figure 7.

As shown in **Figure 7**, server **200** automatically generates a marketing evaluation report **700** for the period identified in field **701** summarizing marketing information associated with several different marketing codes. In one embodiment, for example, marketing report **700** identifies several different statistics compiled and maintained by processor(s) **202** in accordance with information server **203** and statistical database **205**. In one embodiment, for

15

20

5

example statistics on the effectiveness of product agents 702, television advertising 704, radio advertising 706, Internet advertising 708 and print media 709, are maintained with different summary information 710 for each. In one embodiment, the summary information 710 provided for each of the illustrated marketing codes includes the number of hits generated (e.g., the number of times a request for information is received by information server 203), the number of requests for further information, requests for telephone call follow up and the price range of the products accessed using the particular marketing code. Accordingly, while agent 0 generated a large number of hits, those hits resulted in only 25 requests for telephone call follow up, while agent 112 only generated 250 hits to the web site, it resulted in 50 requests for follow up telephone calls. Just as the effectiveness of particular agent marketing can be compared and contrasted, so, too, can the effectiveness of different media, as television 704 can be compared to radio 706 and the Internet 708. Those skilled in the art will appreciate that marketing report 700 is but one example, and that marketing reports with greater or lesser complexity may well be generated by server 200 without deviating from the spirit and scope of the present invention. For example, statistical analysis may well be employed to identify under performing marketing campaigns, cyclical changes in marketing effectiveness corresponding to season, etc.

In addition to the example embodiments presented above, an alternate embodiment of a server incorporating the teachings of the present invention is presented with reference to the block diagram of **Figure 4**. More specifically, **Figure 4** illustrates a block diagram of server **400** including the innovative mining agent **204** associated with one aspect of the present

15

20

5

invention introduced above. As shown, server 400 comprises processor(s) 402 with associated cache(s) 404, bus bridge 410, network interfaces 416, memory subsystem 408, video memory 406 and display device 407, and mining agent 204 incorporated with the teachings of the present invention, coupled as shown. As with the embodiments presented above, mining agent 204 is intended to represent any of a number of alternative embodiments, including embodiments wherein mining agent 204 is not a separate functional entity, but rather executable instructions stored on storage medium/device 208 and selectively executed by one or more of processor(s) 402. In accordance with the teachings of the present invention, processor(s) 402 implementing the innovative information server, mining agent 204 and accessible information resources cooperatively function to provide a requesting client with information associated with an industry standard product identifier (ISPID) received in a resource identifier of a request for an information page/directory and/or an information server.

In addition to those elements enumerated above, server 400 also includes storage medium/device 208, read only memory 412, keyboard and cursor control device 414 and input/output (I/O) ports 417 communicatively coupling peripheral devices such as, for example, a hard copy output device 418 and/or database 110. In one embodiment, server 400 is a computer system having a large amount of storage space (typically on the order of hundreds of gigabytes or terabytes), with multiple network interfaces 416 which support multiple simultaneous virtual connections between clients 102 and communicatively coupled data networks, e.g., data network 106. Accordingly, network interface 416 is intended to represent a number of alternative communication interfaces which enable server 400 to

[]

15

20

10

5

communicate with remote clients via any of a number of alternative communication technologies. Except for the teachings of the present invention, described above, elements **402-418**, **208** and **110** are representative of those commonly known in the art. Thus, those skilled in the art will appreciate that servers of greater or lesser complexity may well be substituted for server **400** without deviating from the spirit and scope of the present invention.

In another embodiment of the present invention, the teachings of the present invention for content management and delivery are embodied in software. Accordingly, **Figure 8** illustrates an example storage medium **800** having stored thereon machine executable instructions **802** which, when processed by a controller transforms an appropriately configured machine executing machine executable instructions **802** into a server incorporating the teachings of the present invention. In accordance with the illustrated example embodiment of **Figure 8**, storage medium **800** is intended to represent any of a number of alternative storage media including, but not limited to, floppy disks, magnetic tape, compact disk, digital versatile disk, optical disks, and the like. Further, those skilled in the art will appreciate that the machine executable instructions need not be located within the machine executing the instructions, but may be accessed from communicatively coupled devices.

In light of the foregoing, those skilled in the art will appreciate that the present invention not only provides for improved information management and delivery, but also includes innovative tracking and reporting features from which a host commercial enterprise can identify and quantify the source of referrals to the products supported by this innovative

10

15

server. In addition to the embodiments described above, those skilled in the art will appreciate that the teachings of the present invention may well be integrated within a single integrated circuit (not shown). That is, those skilled in the art will appreciate that advances in IC fabrication technology now enable complex systems to be integrated onto a single IC. Thus, in accordance with one embodiment of the present invention, the teachings of the present invention may be practiced within an application specific integrated circuit (ASIC), programmable logic device (PLD), microcontroller, processor and the like.

While the many innovative features and aspects to the present invention have been described in terms of the above illustrated embodiments, those skilled in the art will recognize that the invention is not limited to the embodiments described. The present invention can be practiced with modification and alteration within the spirit and scope of the appended claims. In particular, the present invention may be practiced with other features and/or feature settings. Particular examples of other features include but are not limited to transaction communication protocols and architectural attributes. Accordingly, the description is to be regarded as illustrative instead of restrictive on the present invention.

Thus, alternate embodiments of the many innovative aspects of a method, apparatus and system for improved content management and delivery has been described.

CLAIMS

What is claimed is:

- 1 1. An apparatus comprising:
- a storage device having stored therein a plurality of executable instructions; and
- a processor, coupled to the storage device, to execute the plurality of instructions to
- 4 implement an information server which, upon receiving a request including a resource
- 5 identifier for an information page/directory that may or may not exist, constructs and issues
- one or more queries including the resource identifier to retrieve the requested information and
- 7 dynamically generates instructions to create the requested information page for provision to a
- 8 requesting client if the information page/directory does not exist.
- 1 2. The apparatus of claim 1, wherein if the information page/directory does exist, the
- 2 information server provisions the requested information page/directory to the requesting
- 3 client.
- 1 3. The apparatus of claim 1, wherein the resource identifier is comprised of an industry
- 2 standard product identifier (ISPID).
- 1 4. The apparatus of claim 3, wherein the industry standard product identifier is a
- 2 multiple listing service (MLS) identifier.
- 1 5. The apparatus of claim 3, wherein the industry standard product identifier is a vehicle
- 2 identification number (VIN) identifier.

- 1 6. The apparatus of claim 3, wherein the information server responds to requests for an
- 2 information page comprised of the ISPID, whether the requested information page exists
- 3 prior to the request or not.
- The processor of claim 1, wherein the resource identifier further includes a marketing
- 2 code.
- 1 8. The apparatus of claim 7, wherein the resource identifier containing the industry
- 2 standard product identifier and marketing code is a uniform resource locator (URL).
- 1 9. The apparatus of claim 7, wherein the information server further includes a statistics
- 2 function to compile and maintain statistics using the marketing code of received requests.
- 1 10. The apparatus of claim 9, wherein the information server further includes a report
- 2 function which periodically, automatically compiles and generates a marketing report based,
- at least in part, on the compiled marketing statistics.
- 1 11. The apparatus of claim 9, wherein the information server further includes a report
- 2 function which on demand, automatically compiles and generates a marketing report based,
- at least in part, on the compiled statistics.
- 1 12. A method for managing information delivery, the method comprising:
- receiving a request for an information page from a client including a resource
- 3 identifier for an information page/directory;
- determining whether the information page/directory exists; and

3

- automatically constructing and issuing one or more queries including the resource
- 6 identifier to retrieve the requested information from accessible resources if the information
- 7 page/directory does not exist.
- 1 13. The method of claim 12, wherein the resource identifier is comprised of an industry
- 2 standard product identifier.
- 1 14. The method of claim 13, wherein the industry standard product identifier is a multiple
- 2 listing service (MLS) identifier.
- 1 15. The method of claim 12, further comprising provisioning the requested information
- 2 page/directory to the requesting client if the information page/directory does exist.
- 1 16. The method of claim 12, further comprising dynamically generating instructions to
- 2 create the requested information page and provisioning the generated instructions to the
 - requesting client if the information page/directory does not exist.
- 1 17. The method of claim 12, wherein the request is a uniform resource locator (URL).
- 1 18. The method of claim 12, wherein the received resource identifier includes a marketing
- 2 code.
- 1 19. The method of claim 18, further comprising:
- 2 compiling and maintaining a history of received marketing codes; and
- 3 calculating statistical reports of the received marketing codes.

- 1 20. The method of claim 19, further comprising periodically, automatically compiling
- and generating a statistical report depicting marketing effectiveness based, at least in part, on
- 3 the calculated statistical reports of the received marketing codes.
- 1 21. A storage medium having stored therein a plurality of executable instructions which,
- when executed, implement an information server having a plurality of functions, including a
- 3 function to construct and issue queries to accessible resources in response to a received
- 4 request including a resource identifier for an information page/directory that may or may not
- 5 exist, and to dynamically generate instructions to create the requested information
- 6 page/directory for provision to a requesting client if the information page/directory does not
- 7 exist.
- 1 22. The storage medium of claim 21, further comprising a function to provision the
- 2 requested information page/directory to the requesting client if the information page/directory
- 3 does exist.
- 1 23. The storage medium of claim 21, wherein the resource identifier is comprised of an
- 2 industry standard product identifier (ISPID).
- 1 24. The storage medium of claim 23, wherein the information server responds to requests
- 2 comprised of an ISPID for an information page/directory whether the requested information
- 3 page/directory exists prior to the request or not.
- 1 25. The storage medium of claim 21, wherein the information server includes a function
- 2 to identify, compile and maintain a statistical history of marketing codes received in
- 3 information page requests.


- 1 26. The storage medium of claim 25, wherein the information server includes a report
- 2 generation function which periodically and/or on demand automatically generates a report
- 3 including the compiled statistical history.


ABSTRACT OF THE DISCLOSURE

An apparatus comprising a storage medium and a communicatively coupled processor are presented. The storage medium has stored therein a plurality of executable instructions which, when executed, implement an information server which, upon receiving a request including a resource identifier for an information page that may or may not exist, constructs and issues commands to retrieve the requested information and dynamically generates instructions to create the requested information page for provision to a requesting client if the information page does not exist.


10

5





1- IG. C



John.





FIG. 5



÷ .•

69			·····		 		·			 	1
ست.	6/8	Terpas	42,100	ση, 14							
	او	Charage	>	て	 -			· ·		 	
	70	AIR	>	2-							
	215	BATHS	2	-							-
	60	Zods	h	7				·			
9	80%		000'£773	206,281 4							
0,6	MO9	51210	Bungalow	RANCH						 	
,	109	Listing Rigar	35	27							
	2007	MESTO	BC35740	JC 375/b		٧0	٥	_,	•		


MARKETING EVALUATION REPORT:

Period Ending: December 31, 1998 - 701

Agent 0: 1,800 hits 450 requests for information 25 requests for telephone call follow up \$125,000-\$175,000 product price range Agent 112: 350 hits 250 requests for information 50 requests for telephone call follow up \$1,500,000-\$2,250,000 product price range Television Advertising 704 23,000 hits 1,1 230 requests for information 0 requests for telephone call follow up \$14,000-\$2,250,000 price range Į. Radio Advertising 2300 hits first shin 23 requests for information 0 requests for telephone call follow up THE COLUMN THE SECTION OF THE SECTIO \$14,000-\$150,000 price range Internet Advertising 2450 hits 1400 requests for information 140 requests for telephone call follow up \$175,000-\$450,000 price range 709 Print Advertising 1750 hits 17 requests for information 4 requests for telephone call follow up

FIG. 7

\$275,000-\$450,000 price range



Attorney's Docket No.: 03869.P001

Patent

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

METHOD, APPARATUS AND SYSTEM FOR IMPROVED CONTENT MANAGEMENT AND DELIVERY

the specification of which

XX	is attached hereto.
	was filed on as
	United States Application Number
	or PCT International Application Number
	and was amended on
	(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above. I do not know and do not believe that the claimed invention was ever known or used in the United States of America before my invention thereof, or patented or described in any printed publication in any country before my invention thereof or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, and that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months (for a utility patent application) or six months (for a design patent application) prior to this application.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

1 hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application	on(<u>s)</u>		Priority Claimed		
(Number)	(Country)	(Day/Month/Year Filed) Yes No			
(Number)	(Country)	(Day/Month/Year Filed)	Yes No		
(Number)	(Country)	(Day/Month/Year Filed)	Yes No		
I hereby claim the benef States provisional applic		States Code, Section 119(e)	of any United		
(Application Number)	Filing Date				
(Application Number)	Filing Date				
States application(s) liste his application is not disprovided by the first part he duty to disclose all in Title 37. Code of Federal	ed below and, insofar as a sciosed in the prior Unite agraph of Title 35, Unitediffermation known to me and Regulations, Section	States Code, Section 120 of the subject matter of each of d States application in the ra d States Code, Section 112, to be material to patentabilit 1.56 which became availabil or PCT international filing	the claims of manner I acknowledge by as defined the between the		
(Application Number)	Filing Date	(Status patented, pen	ding, abandoned)		
(Application Number)	Filing Date	(Status - patented, pen	ding, abandoned)		

I hereby appoint Farzad E. Amini, Reg. No. P42,261; Aloysius T. C. AuYeung, Reg. No. 35,432; Amy M. Armstrong, Reg. No. P42,265; William Thomas Babbitt, Reg. No. 39,591; Carol F. Barry, Reg. No. P41,600; Jordan Michael Becker, Reg. No. 39,602; Bradley J. Bereznak, Reg. No. 33,474; Michael A. Bernadicou, Reg. No. 35,934; Roger W. Blakely, Jr., Reg. No. 25,831; Gregory D. Caldwell, Reg. No. 39,926; Kent M. Chen, Reg. No. 39,630; Lawrence M. Cho, Reg. No. 39,942; Yong S. Choi, Reg. No. P43,324; Thomas M. Coester, Reg. No. 39,637; Roland B. Cortes, Reg. No. 39,152; Barbara Bokanov Courtney, Reg. No. P42,442; Michael Anthony DeSanctis, Reg. No. 39,957; Daniel M. De Vos, Reg. No. 37,813; Robert Andrew Diehl, Reg. No. 40,992; Tarck N. Fahmi, Reg. No. 41,402; James Y. Go, Reg. No. 40,621; Richard Leon Gregory, Jr., P42,607; Dinu Gruia, Reg. No. P42,996; David R. Halvorson, Reg. No. 33,395; Thomas A. Hassing, Reg. No. 36,159; Phuong-Quan Hoang, P41,839; Willmore F. Holbrow III, Reg. No. P41,845; George W Hoover II, Reg. No. 32,992; Eric S. Hyman, Reg. No. 30,139; Dag H. Johansen, Reg. No. 36,172; William W. Kidd, Reg. No. 31,772; Tim L. Kitchen, Reg. No. P41,900; Michael J. Mallie, Reg. No. 36,591; Andre L. Marais, under 37 C.F.R. § 10.9(b); Paul A. Mendonsa, Reg. No. 42,879; Darren J. Milliken, P42,004; Thinh V. Nguyen, P42,034; Kimberley G. Nobles, Reg. No. 38,255; Michael A. Proksch, Reg. No. 43,021; Babak Redjaian, P42,096; James H. Salter, Reg. No. 35,668; William W. Schaal, Reg. No. 39,018; James C. Scheller, Reg. No. 31,195; Anand Sethuraman, Reg. No. P43,351; Charles E. Shemwell, Reg. No. 40,171; Maria McCormack Sobrino, Reg. No. 31,639; Stanley W. Sokoloff, Reg. No. 25,128; Geoffrey T. Staniford, P43,151; Judith A. Szepesi, Reg. No. 39,393; Vincent P. Tassinari, Reg. No. P42,179; Edwin H. Taylor, Reg. No. 25,129; George G. C. Tscng, Reg. No. 41,355; Legar L. Vincent P. 21,460; John Partial Ward Pag. No. 40,216; Stephen 41,355; Lester J. Vincent, Reg. No. 31,460; John Patrick Ward, Reg. No. 40,216; Stephen Warhola, Reg. No. P43,237; Ben J. Yorks, Reg. No. 33,609; and Norman Zafman, Reg. No. 26,250; my attorneys, of BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP, with offices located at 12400 Wilshire Boulevard, 7th Floor, Los Angeles, California 90025, telephone (310) 207-3800, and James R. Thein, Reg. No. 31,710, my patent attorney; with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

Full Name of Sole/First Inventor STEPHEN	C. RODERICK
Inventor's Signature	Date 1/1/99
Residence Corvallis, Oregon (City, State)	Citizenship United States (Country)
Post Office Address 3142 NW Autumn Corvellis, Oregon 97330	
COLANTILE OF SOIL A 1 3 20	